


Einbauanleitung Elektrosatz
Anhängervorrichtung mit 13-P Steckdose
lt. DIN/ISO Norm 11446


Instructions de montage du faisceau
électrique pour crochet d'attelage
conforme à la norme DIN/ISO 11446
prise 13-P

Fitting instructions electric wiringkit
towbar with 13-P socket up to
DIN/ISO norm 11446

Montage-handleiding elektrokabelset voor
trekhaak met 13-P contactdoos
vlg. DIN/ISO norm 11446



ROVER 75 1999-/2002-
+ ROVER 75 TOURER 10/2001-





















Bestel Nr.: RV-001-DL





* Teilliste

* Liste de pieces


* Part list

* Onderdelenlijst








ROUTING



4




DIN/ISO 11446		(D)	(F)	(GB)	(NL)	P _{max}
	1/L	gelb	jaune	yellow	geel	21W
	2	blau	bleu	blue	blauw	2x21W
	2a	grau	gris	grey	grijs	
	1-8	weiß	blanc	white	wit	
	4/R	grün	vert	green	groen	21W
	5/58-R	braun	marron	brown	bruin	52W
	6/54	rot	rouge	red	rood	3x21W
	7/58-L	schwarz	noir	black	zwart	52W
	8	schwarz/rot	noir/rouge	black/red	zwart/rood	2x21W
	9	braun/weiß	marron/blanc	brown/white	bruin/wit	180W / 15 Amp
	10	rot	rouge	red	rood	180W / 15 Amp
	11	weiß	blanc	white	wit	
	12	rot/blau	rouge/bleu	red/blue	rood/blauw	
	13	weiß	blanc	white	wit	










6 INFO










	Kabel Kabelsatz Fil faisceau Wire harness Draad kabelboom	Original Kabel Fil Original Original wiring Originele draad	
A	Gelb/Schwarz Jaun/Noir Yellow/Black Geel/Zwart	Grün/Rosa Vert/Rose Green/Pink Groen/Rose	← 1/L
B	Violet/Schwarz Violet/Noir Purple/Black Paars/Zwart	Rot/Braun Rouge/Marron Red/Brown Rood/Bruin	☀️ 7/58-L













7 INFO

	Kabel Kabelsatz Fil faisceau Wire harness Draad kabelboom	Original Kabel Fil Original Original wiring Originele draad	
C	Grün/Schwarz Vert/Noir Green/Black Groen/Zwart	Grün/Grau Vert/Gris Green/Grey Groen/Grijs	→ 4/R
D	Blau/Rot Bleu/Rouge Blue/Red Blauw/Rood	Grün/Blau Vert/Bleu Green/Blue Groen/Blauw	STOP 6/54
E	Schwarz/Braun Noir/Marron Black/Brown Zwart/Bruin	Rot/Blau Rouge/Bleu Red/Blue Rood/Blauw	☀️ 5/58 R
F	Schwarz/Rot Noir/Rouge Black/Red Zwart/Rood	Grün/Braun Vert/Marron Green/Brown Groen/Bruin	Reverse

















TOURER: *Bei Abbildung 38 weitergehen *Continue chez illustration 38
*Continue at picture 38 *Ga verder bij afbeelding 38



Kabel Kabelsatz Fil faisceau Wire harness Draad kabelboom	Original Kabel Fil Original Original wiring Originele draad
A Gelb/Schwarz Jaun/Noir Yellow/Black Geel/Zwart	Grün/Rosa Vert/Rose Green/Pink Groen/Rose 1/L
B Violet/Schwarz Violet/Noir Purple/Black Paars/Zwart	Rot/Braun Rouge/Marron Red/Brown Rood/Bruin 7/58-L



Kabel Kabelsatz Fil faisceau Wire harness Draad kabelboom	Original Kabel Fil Original Original wiring Originele draad
C Grün/Schwarz Vert/Noir Green/Black Groen/Zwart	Grün/Grau Vert/Gris Green/Grey Groen/Grijs 4/R
D Blau/Rot Bleu/Rouge Blue/Red Blauw/Rood	Grün/Blau Vert/Bleu Green/Blue Groen/Blauw STOP 6/54
E Schwarz/Braun Noir/Marron Black/Brown Zwart/Bruin	Rot/Blau Rouge/Bleu Red/Blue Rood/Blauw 5/58 R
F Schwarz/Rot Noir/Rouge Black/Red Zwart/Rood	Grün/Braun Vert/Marron Green/Brown Groen/Bruin Reverse



INFO Anschluß Steckdose / Connection de la prise / Socket connection / Contactdoos aansluiting

DIN/ISO 11446		(D)	(F)	(GB)	(NL)	P _{max}
	1/L	gelb	jaune	yellow	geel	21W
	2	blau	bleu	blue	blauw	2x21W
	2a	grau	gris	grey	grijs	
	1-8	weiß	blanc	white	wit	
	4/R	grün	vert	green	groen	21W
	5/58-R	braun	marron	brown	bruin	52W
	6/54	rot	rouge	red	rood	3x21W
	7/58-L	schwarz	noir	black	zwart	52W
	8	schwarz/rot	noir/rouge	black/red	zwart/rood	2x21W
	9	schwarz/rot	noir/rouge	black/red	zwart/rood	2x21W
	30+	braun/weiß	marron/blanc	brown/white	bruin/wit	180W / 15 Amp
	15+	rot	rouge	red	rood	180W / 15 Amp
	10	weiß	blanc	white	wit	
	12	rot/blau	rouge/bleu	red/blue	rood/blauw	
	9	weiß	blanc	white	wit	
	13	weiß	blanc	white	wit	

